

Half Yearly Compliance Report**2026****01 Jun(01 Oct - 31 Mar)****Acknowledgement**

Proposal Name		M/s. JSW Steel Coated Products Limited	
Name of Entity / Corporate Office		JSW STEEL COATED PRODUCTS LIMITED	
Village(s)		Pali	
District		THANE	
Proposal No.	SIA/MH/IND1/516501/2024		
Plot / Survey / Khasra No.	at Plot No. 176, 178,180/1, 180/2, 180/3, 180/ 4, 180/5,6,7,8,9 & 10,183/2, 183/3, 184A/1/P, 184A/11,184A/12/P, 184A/12,179/1/1,179/1/2, 184A/13, 184A/16, 156P, 158/1, 158/2P, 158/6P, 158/7/1P, 158/7/2P, 158/7/3P, 158/7/4P, 158/7/5P, 159/2P, 160/1,162P, 74/3P, 74/3P,74/3/2,168/12,161/11, 160/2,161/10/1, of Vosind & 271P, 271P, 272P, 271, 272,273,274,272-P of Sormol and 214,215, 216, 217,218, 223, 224, 225, 226, 228, 229,230 of Poli		
State	MAHARASHTRA		
MoEF File No.			
		Category	Industrial Projects - 1
		Sub-District	Shahapur
		Entity's PAN	*****3988L
		Entity name as per PAN	JSW STEEL COATED PRODUCTS LIMITED

Compliance Reporting Details

Reporting Year	2026
Remarks (if any)	Submission of Environmental clearance Half yearly compliance report for period 01st Oct 2025 to 31st Mar 2026. For the compliance of Environmental Clearance Conditions and Under the EIA Notification 2006, rule no 10 (ii).
Reporting Period	01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office	JSW STEEL COATED PRODUCTS LIMITED
--	-----------------------------------

	Project Area as per EC Granted	Actual Project Area in Possession
Private	46.0695	46.0695
Revenue Land	0	0
Forest	0	0
Others	N/A	N/A
Total	46.0695	46.0695

Others Area			
Sr. no	Other Name	Area Granted	Area Actual

Production Capacity						
Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Cold Rolled coils, sheets, strips, Zinc coated products Galvanized/Galvalume	Others:MMTPA	28/02/2030	2.01	1.13	2.01
2	Colour Coated Products	Others:MMTPA	28/02/2030	0.6	0.31	0.6
3	Cold Rolled Annealed	Others:MMTPA	28/02/2030	0.5	0.43	0.5
4	Power Generation (DG Sets - 3.75 MW x 2 Nos.)	Others:Unit/hour	28/02/2030	6500	8.57	6500

Conditions	

Visit Remarks	
Last Site Visit Report Date:	N/A
Additional Remarks:	We have Obtained ISO Certification for The Environment Management System ISO 14001 2015 The Occupational Health and safety system ISO 45001 2018 and The Energy Management System ISO 50001 2018. Following good practices for ESG and continual improvement in sustainability.

Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.

Vasind Works : Village Vasind,
Taluka Shahapur, Dist. Thane - 421 601,
Maharashtra, India.

CIN : U27100MH1985PLC037346
Phone : +91 2527 220 022/25
FAX : +91 2527 220 020/84/92
Website : www.jsw.in

Date: 29/05/2026

Ref: JSWSCPL/26-27/EC- CR/-01

To,

The Regional Officer
Ministry of Environment, Forest & Climate Change
Regional office (West-Central Zone), Ground Floor, East Wing,
New Secretariat Building Civil Lines, Nagpur 440001

Sub: Submission of Environmental Clearance Conditions, **Half Yearly Compliance report (Period- 1st October 2025 to 31st March 2026)** under category B1, 3 (a) of EIA Notification 2006.

Ref No: EC Identification No. **EC24B1009MH5445601N**, date **13/09/2025**, issued by **SEIAA Maharashtra**, Environment Department.

Respected Sir,

JSW Coated Steel Products Ltd, Vasind, Dist-Thane , has been accorded Environmental clearance under category B1 3(a) Metallurgical Industries (ferrous and non ferrous) dated 13th Sept. 2025. For production of Cold rolled coils sheets and Zinc Coated Products Galvanized & Galvalume, Colour coated products, Cold Rolled Annealed.

For compliances under Environmental Clearance conditions, here we are submitting, **Half Yearly EC-Compliances report of Period- 1st October 2025 to 31st March 2026** regarding conditions given under Environmental Clearance by SEIAA, Environment Department Maharashtra.

This is for information & Consideration under the compliance of Environmental Clearance conditions & under the EIA Notification 2006, rule no 10 (ii)

Thanking you,

Authorized Signatory
For JSW Steel Coated Products Limited, Vasind



Amar Patil

Environment (GM)

Enclosures

Compliance report uploaded on PARIVESH Portal along with requisite information.

CC-The Member Secretary MPCB Sion, Regional Officer MPCB Kalyan , The SRO MPCB Kalyan III, SEIAA Maharashtra (Environment Department)

JSW Coated Steel Products Ltd, Vasind, Tal-Shahpur, Dist.-Thane

Half Yearly EC-Compliances report (Period- 1st October 2025 to 31st March 2026)

Specific Conditions - SEAC		
Sr.No	Condition details	Compliance Status
1	PP to ensure that occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Complied. Health Check up of workers done annually through DISH approved competent medical authority. Latest health checkup done in February 2026. Maintained Form-7
2	PP to implement CER Plan in consultation with the District Authority as per OM issued by MoEF & CC dated: 01/05/2018.	Being Complied CER Committee formed CER Budget approval completed. Further CER implementation plan under progress. Approval of CER Plan from District Magistrate under progress.
3	PP to shall prepare action plan for implementing EMP and environmental conditions along with responsibility matrix of the company and shall be duly approved by competent authority. The year wise funds for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose.	Complied EMP prepared to control stack emissions, air pollution abatement measures, noise level monitoring, wastewater treatment to meet consent norms and recycle water conditions, waste management as per norms, etc. Environment management cell established and approved by competent authority / top management. Annual Budget taken for compliances of environment expenses.
4	PP to complete rain water harvesting facility before the commissioning of the manufacturing of the activity.	Complied 100 KL Tank installed at New Finishing shed area for rain water harvesting

5	PP to use new and renewable energy for illumination of office buildings, street lights, parking's area and maintain the same regularly.	Complied LED lights are used in present. Renewable Energy PPA is signed
6	PP to provide Water meters at the inlet to all unit processes in the steel plants; PP to take efforts to minimize water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.	Complied Flowmeters provided at all Freshwater Unit consumption. 1500 KLD ETP/ZLD installed for treatment of Trade effluent and 900 KLD STP installed for Domestic wastewater treatment. All treated water is further utilized in process and for cooling purposes.
Specific Conditions -SEIAA		
1	PP submitted plan approval from ADTP dated 24.07.2025 and as per the plan their total plot area of the project is 4,60,695 and they have existing green belt area of 62,130 (12.49%) and proposed green belt area of 92331 m ² (20.04%) of total plot area. ADTP to ensure the compliance of the same.	Complied Green belt of 33 percent of Total Plot area is maintained.
2	PP to undertake Miyawaki plantation of native and indigenous trees such as Banyan, Peepal, Neem, Jamun and other suitable trees as per the Forest Department, Govt. of Maharashtra circular no SaVaVi-2019/C.R.3/F-11, dated 25th June, 2019. The said plantation to be completed in the first year of operation of Environmental Clearance under expert guidance of Miyawaki experts / arborist.	Complied Miyawaki Plantation done.
3	PP to strictly observe the Solid Waste Management Rules, 2016 as amended time to time.	Complied Solid waste segregation practiced and send for it for further disposal.
4	PP to strictly observe the Hazardous & Other Wastes (Management & Trans boundary Movement) Rules, 2016 as amended time to time.	Complied Maintaining Waste Management and disposal as per Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016 as amended time to time. Form 4 for FY 25 submitted on MPCB portal.

5	PP to identify all sources of fugitive air pollution on site and provide pollution control measures to mitigate pollution and meet the standard parameters stipulated in the Environment (Protection) Rules, 1986 amended time to time & Air (Prevention and Control of Pollution) Act, 1981 amended time to time.	Complied Process is close confined to control fugitive emissions , provided adequate APCDs to control fugitive emission. Chemical storage tanks provided fugitive emission control system. Regular monitoring of Workplace air for RSPM and HCL content
6	PP to ensure storage of chemicals as per the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 amended time to time to ensure no release of any chemical to the atmosphere and leakage to the soil.	Complied Chemicals stored as per norms and standards. Secondary containment provided for hazardous chemical storages.
7	PP to insure transport storage and handling & use of the flammable /toxic chemicals as per conditions stipulated in licenses/approvals of the Petroleum & Explosive safety organization (PESO)	Complied Unit holds valid PESO licenses as required.
8	PP to obtain approval and License from the Directorate of Industrial Health & Safety (DISH) for proposed project and implement all condition stipulated therein. PP to carry out Safety Audit as stipulated in the Maharashtra Factories Rules, 1963 and ensure compliance of recommendation of the Audit.	Complied Factory License is obtained and is valid till Dec 2026. An External Safety Audit was also conducted by DISH approved Auditors.
9	PP to provide solar energy for illumination of Administrative Building, Street Lights and Parking area.	Noted.
10	PP to ensure use of briquette / biocoal / pellets / or any such suitable product derived from scientific processing of appropriate steam of dry waste/agricultural waste, not less than 50% of the total fuel requirement to the boiler.	This is not applicable as we are using RLNG fuel which is environment friendly. Boiler are using RLNG fuel.
11	PP to provide roof top Rain Water Harvesting Facility.	Complied 100 KLD Tank is provided at New Finishing Shed for Rain Water Harvesting.
12	PP to ensure that Project is a ZLD for unit.	Complied Industry has provided ETP/ZLD unit of 1500 KLD and STP of 900 KLD. Trade effluent and domestic effluent


		are treated and then recycled water is used in different process and cooling purposes.
General Conditions		
I	The project proponent shall advertise atleast in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded Environment Clearance and copies of Environment Clearance letter are available with Maharashtra Pollution Control Board, website of the company and may also be seen at Website at http://parivesh.nic.in	Complied An advertisement was circulated in three local newspapers in the region around Vasind.
II	The project proponent shall upload the status of compliance (soft copies) of the conditions stipulated Environmental Clearance letter including monitoring data of air, water, soil, noise, etc on their website and shall update the same periodically. The half yearly compliance report shall simultaneously be submitted to the Maharashtra Pollution Controls Board, SEIAA and the Regional Office of MoEF&CC at Nagpur, on 1st June & 1st December of each Calendar Year	Complied EC issued date 13.09.2025, first half yearly compliance report was submitted offline through email.
III	Separate fund shall be allocated for the implementation of Environmental Management Plan along with item wise breakup and specific time line for its completion. The cost shall be included as a part of the project cost. The funds earmarked for the environmental protection measures shall not be diverted for other purpose and year-wise expenditure should be reported to the MPCB and the SEIAA.	Complied Environment management plan is complied, industry has allocated seperate funds for implementation of environment protection measures / EMP alongwith item wise breakup. The funds are marked for environment protection measures. Attached here with expenditure details for the period of Oct 2025 to Mar 2026.
IV	A separate Environmental Management Cell with qualified personnel shall be set up for implementation of the stipulated environmental safeguards.	Complied A separate Environmental Management Cell with qualified personnel is set up

		to stipulate environmental safeguard.
v	In the event of failure of any pollution control equipment, the manufacturing activity shall be immediately stopped safely till the effective functioning of pollution control equipment's is regained.	Noted.
VI	PP to strictly follow conditions stipulated in the Consent to Establish/Operate issued by the Maharashtra Pollution Control Board.	Complied Industry follows the conditions stipulated in CTO and submit quarterly compliance report on quarterly basis to Maharashtra Pollution Control Board.
VII	PP to provide separate drains for stormwater and effluent, and ensure that, the storm water drains are dry all the time and in no case the effluent shall mix with the storm water drain.	Complied A separate drainage system is provided for stormwater and effluents. Attached the Stormwater drainage drawing for reference.
VIII	Periodic Monitoring of ground water in the study area as marked in the Environmental Impact Assessment Report shall be undertaken and results analysed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	Complied Ground water monitoring done on periodic basis.
IX	The overall noise levels in and around the factory premises shall be kept within the prescribed standard under the Environment (Protection) Act, 1986 and Rule, 1989 as amended from time to time by providing adequate noise control measures and protective equipment's like ear muff and ear plug etc.	Complied The overall noise levels in and around the factory premises are within the prescribed standard under the Environment (Protection) Act, 1986 and Rule, 1989 as amended from time to time. Noise control measures implemented i.e. acoustic enclosures in DG Set, provided PPEs such as Ear plugs and muff near high noise area. Ambient noise level monitoring done through external MoEF and CC and internal workzone noise

		monitoring done on regular basis.
X	Adequate safety measures shall be ensured to limit the risk zone within the factory premises. Leak detection system shall be installed for early detection and mitigation purpose.	Complied Full fledged fire fighting system like fire hydrant, leak detection system - (smoke detectors), manual call points. gas leak detectors, etc are installed. Industry owns dedicated fire tender with dedicated Firemen.
XI	PP to scrupulously follow the requirements of Maharashtra Factories Act, 1948 & Rules 1963 as amended from time to time.	Yes, Complied as and when required.
XII	The Environmental Statement for each financial year ending on 31st March in Form-V as is mandated to be submitted by the Project Proponent to the concerned Pollution Control Board as prescribed under the Environment (Protection) Rule, 1989 as amended from time to time, it shall also be put on the website of the company along with the status of the compliance of the conditions stipulated in the Environmental Clearance letter.	The Environmental Statement for each financial year ending on 31st March in Form-V is submitted for period 01st Apr 2024 to 31st Mar 2025. The Form-V for period 01st Apr 2025 to 31st Mar 2026 will be submitted before 30th Sept 2026.

Thanking you
Yours Truly

Authorized Signatory
For JSW Coated Steel Products Ltd , Vasind


Amar Patil
Environment (GM)



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR AMBIENT NOISE LEVEL MONITORING

Report No.	SEET/AA/11/25/40	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample Collected By	AA Representative.		
Date Of sampling	28/10/2025		
Time Of sampling	Day Time		
Reference	-----		

DAY TIME NOISE LEVEL MONITORING

Sr. No	Sampling Location (From 1 meter away)	Noise Levels in dB(A) Leq [*]		Noise Limit in dB (A) Leq [*] (Day Time)
		Max	Min	
1	Near Highway gate	72.7	68.6	75
2	Near ETP ZLD	72.3	70.5	75
3	Time office	70.2	68.1	75
4	Near Finishing shed	71.6	70.2	75

NOTE: Limit During Day time < 75. (Day time shall mean from 6.00 am to 10.00 pm.)
Limit During Night time < 70. (Night time shall mean from 10.00 pm to 6.00 am.)
*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
A "decibel" is a unit in which noise is measured.
"A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human hear.
Leq: It is the energy mean of the noise level over a specified period.




Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagale Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR AMBIENT NOISE LEVEL MONITORING

Report No.	SEET/AA/11/25/54	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample Collected By	AA Representative.		
Date Of sampling	28/10/2025		
Time Of sampling	Night Time		
Reference	-----		

NIGHT TIME NOISE LEVEL MONITORING

Sr. No	Sampling Location (From 1 meter away)	Noise Levels in dB(A) Leq*		Noise Limit in dB (A) Leq* (Night Time)
		Max	Min	
1	Near Highway gate	66.9	65.0	70
2	Near ETP ZLD	65.1	63.8	70
3	Time office	65.6	63.3	70
4	Near Finishing shed	66.3	64.2	70

NOTE: Limit During Day time < 75. (Day time shall mean from 6.00 am to 10.00 pm.)
Limit During Night time < 70. (Night time shall mean from 10.00 pm to 6.00 am.)
*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
A "decibel" is a unit in which noise is measured.
"A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human hear.
Leq: It is the energy mean of the noise level over a specified period.




Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Pattoo, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

Sadekar Enviro
Page 1 of 1

ANALYSIS REPORT FOR AMBIENT NOISE LEVEL MONITORING

Report No.	SEET/AA/01/26/268	Date	27/01/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample Collected By	AA Representative.		
Date Of sampling	20/01/2026		
Time Of sampling	Day Time		
Reference	-----		

DAY TIME NOISE LEVEL MONITORING

Sr. No	Sampling Location (From 1 meter away)	Noise Levels in dB(A) Leq*		Noise Limit in dB (A) Leq* (Day Time)
		Max	Min	
1	Near Highway gate	72.3	70.1	75
2	Near ETP ZLD	71.4	69.6	75
3	Time office	66.1	63.8	75
4	Admin Building	65.1	61.2	75

NOTE:

Limit During Day time ≤ 75 . (Day time shall mean from 6.00 am to 10.00 pm.)
*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
A "decibel" is a unit in which noise is measured.
"A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human hear.
Leq: It is the energy mean of the noise level over a specified period.

Authorized By





Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SRV: 101118
SEE: 1011

ANALYSIS REPORT FOR AMBIENT NOISE LEVEL MONITORING


Report No.	SEET/AA/01/26/269	Date	27/01/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample Collected By	AA Representative.		
Date Of sampling	20/01/2026		
Time Of sampling	Night Time		
Reference	-----		

NIGHT TIME NOISE LEVEL MONITORING

Sr. No	Sampling Location (From 1 meter away)	Noise Levels in dB(A) Leq ^a		Noise Limit in dB (A) Leq ^a (Night Time)
		Max	Min	
1	Near Highway gate	67.5	63.1	70
2	Near ETP ZLD	64.1	61.2	70
3	Time office	58.4	55.1	70
4	Admin Building	56.3	55.1	70

NOTE:

- Limit During Night time < 70. (Night time shall mean from 10.00 pm to 6.00 am.)
*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
A "decibel" is a unit in which noise is measured.
"A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human hear.
Leq: It is the energy mean of the noise level over a specified period.


Authorized By





Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR WATER SAMPLE

Report No.	SEET/AA/11/25/53	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka Shahpur Dist: Thane - 421601		
Sampling Location	Borewell at River pump house		
Sample Details	Ground Water	Sample Quantity	2000 ml
Date of collection	28/10/2025	Sample Receipt Date	29/10/2025
Analysis started on	30/10/2025	Analysis Complete Date	03/11/2025

CHEMICAL PARAMETERS

Sr. No	Parameters	Results	Limit	Method
1	pH	6.94	NS	IS:3025(Part 11)
2	Conductivity	155.21	NS	IS:3025(Part 14)
3	Turbidity	3.68	NS	IS:3025(Part 10)
4	Hardness as CaCO ₃	48.00	NS	IS:3025(Part 21)
5	Total Dissolved Solids	110.00	NS	IS:3025(Part 21)
6	Total Alkalinity	36.00	NS	IS:3025(Part 23)
7	Chlorides as Cl	19.00	NS	IS:3025(Part 32)
8	Magnesium as Mg	5.10	NS	IS:3025(Part 46.-6)
9	Nitrate as NO ₃	<0.20	NS	IS:3025(Part 34)
10	Sulphate as SO ₄	3.64	NS	IS:3025(Part 24)
11	Calcium as Ca	28.00	NS	IS:3025(Part 40)
12	Iron as Fe	BDL (LOD 0.0073 ppm)	NS	IS:3025(Part 53)

MICROBIOLOGICAL PARAMETERS

13	Total Coliforms at 37°C for 48 hrs.	NIL	MPN/100ml	22 nd Edition APHA (9222 B)2012
14	E.coli at 44.5°C for 24 hrs.	Absent	Should be Absent	22 nd Edition APHA (9221- F) 2012

Note: Test results related only to the sample tested.

This certificate may not be reproduced in part, without the permission of this laboratory.




Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR WATER SAMPLE

Report No.	SEET/AA/01/26/296	Date	27/01/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka Shahpur Dist: Thane - 421601		
Sampling Location	Borewell at River pump house		
Sample Details	Ground Water	Sample Quantity	2000 ml
Date of collection	20/01/2026	Sample Receipt Date	21/01/2026
Analysis started on	22/01/2026	Analysis Complete Date	24/01/2026

CHEMICAL PARAMETERS

Sr. No	Parameters	Results	Limit	Method
1	pH	7.12	NS	IS:3025(Part 11)
2	Conductivity	174.50	NS	IS:3025(Part 14)
3	Turbidity	2.80	NS	IS:3025(Part 10)
4	Hardness as CaCO ₃	56.00	NS	IS:3025(Part 21)
5	Total Dissolved Solids	124.00	NS	IS:3025(Part 21)
6	Total Alkalinity	49.00	NS	IS:3025(Part 23)
7	Chlorides as Cl	23.00	NS	IS:3025(Part 32)
8	Magnesium as Mg	6.80	NS	IS:3025(Part 46.-6)
9	Nitrate as NO ₃	<0.20	NS	IS:3025(Part 34)
10	Sulphate as SO ₄	8.10	NS	IS:3025(Part 24)
11	Calcium as Ca	31.10	NS	IS:3025(Part 40)
12	Iron as Fe	BDL (LOD 0.0073 ppm)	NS	IS:3025(Part 53)

MICROBIOLOGICAL PARAMETERS

13	Total Coliforms at 37°C for 48 hrs.	NIL	MPN/100ml	22 nd Edition APHA (9222 B) 2012
14	E.coli at 44.5°C for 24 hrs.	Absent	Should be Absent	22 nd Edition APHA (9221- F) 2012

Note: Test results related only to the sample tested.

This certificate may not be reproduced in part, without the permission of this laboratory.



Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR WORK PLACE MONITORING

Report No	SEET/AA/11/25/59	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative	Date of sampling	28/10/2025
Reference	-----	Time of sampling	Day Time

WORK PLACE STATION

Location of Sampling	PLTCM - Entry
----------------------	----------------------

POLLUTIONAL PARAMETERS

Parameters	Result	Units	ACGIH Limits
RSPM	1.12	mg/m ³	5

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.

3) The above mentioned limits are given as per American Conference of Governmental Industrial Hygienists (ACGIH) For STEL




Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagale Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR WORK PLACE MONITORING

Report No	SEET/AA/11/25/60	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka Shahpur Dist: Thane - 421601		
Sample collected by	AA Representative	Date of sampling	28/10/2025
Reference	-----	Time of sampling	Day Time

WORK PLACE STATION

Location of Sampling	PLTCM – Exit
----------------------	--------------

POLLUTIONAL PARAMETERS

Parameters	Result	Units	ACGIH Limits
RSPM	1.06	mg/m ³	5

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) The above mentioned limits are given as per American Conference of Governmental Industrial Hygienists (ACGIH) For STEL




Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR WORK PLACE MONITORING

Report No	SEET/AA/11/25/61	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative	Date of sampling	28/10/2025
Reference	-----	Time of sampling	Day Time

WORK PLACE STATION

Location of Sampling	New Pickling
----------------------	---------------------

POLLUTIONAL PARAMETERS

Parameters	Result	Units	ACGIH Limits
RSPM	0.96	mg/m ³	5

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) The above mentioned limits are given as per American Conference of Governmental Industrial Hygienists (ACGIH) For STEL




Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagale Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR WORK PLACE MONITORING

Report No	SEET/AA/11/25/62	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative	Date of sampling	28/10/2025
Reference	-----	Time of sampling	Day Time

WORK PLACE STATION

Location of Sampling **CGL -3**

POLLUTIONAL PARAMETERS

Parameters	Result	Units	ACGIH Limits
RSPM	0.93	mg/m ³	5

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) The above mentioned limits are given as per American Conference of Governmental Industrial Hygienists (ACGIH) For STEL



[Signature]
Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagale Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR WORK PLACE MONITORING

Report No	SEET/AA/11/25/63	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative	Date of sampling	28/10/2025
Reference	-----	Time of sampling	Day Time

WORK PLACE STATION

Location of Sampling **CGL - 4**

POLLUTIONAL PARAMETERS

Parameters	Result	Units	ACGIH Limits
RSPM	0.89	mg/m ³	5

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) The above mentioned limits are given as per American Conference of Governmental Industrial Hygienists (ACGIH) For STEL



[Signature]
Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR WORK PLACE MONITORING

Report No	SEET/AA/11/25/64	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative	Date of sampling	28/10/2025
Reference	-----	Time of sampling	Day Time

WORK PLACE STATION

Location of Sampling CGL - 2

POLLUTIONAL PARAMETERS

Parameters	Result	Units	ACGIH Limits
RSPM	1.01	mg/m ³	5

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) The above mentioned limits are given as per American Conference of Governmental Industrial Hygienists (ACGIH) For STEL



Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR WORK PLACE MONITORING

Report No	SEET/AA/11/25/39	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative	Date of sampling	28/10/2025
Reference	-----	Time of sampling	Day Time

WORK PLACE STATION

POLLUTIONAL PARAMETERS

Sr.No.	Location of Sampling	Parameters	Result	Units	Limits
1.	PLTCM	HCL	1.28	mg/m ³	5.0
2.	Old Pickling Area	HCL	1.89	mg/m ³	5.0
3.	HR Slitter	HCL	0.96	mg/m ³	5.0
4.	Mill -3	HCL	0.84	mg/m ³	5.0
5.	New Pickling Area	HCL	1.96	mg/m ³	5.0
6.	CCL-1	HCL	1.35	mg/m ³	5.0
7.	ETP ZLD	HCL	1.43	mg/m ³	5.0

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.



Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR WORK PLACE MONITORING

Report No	SEET/AA/01/26/301	Date	27/01/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka Shahpur Dist: Thane - 421601		
Sample collected by	AA Representative	Date of sampling	20/01/2026
Reference	-----	Time of sampling	Day Time

WORK PLACE STATION

POLLUTIONAL PARAMETERS

Sr.No.	Location of Sampling	Parameters	Result	Units	Limits
1.	PLTCM	HCL	1.58	mg/m ³	5.0
2.	Old Pickling Area	HCL	1.96	mg/m ³	5.0
3.	HR Slitter	HCL	0.99	mg/m ³	5.0
4.	Mill -3	HCL	0.91	mg/m ³	5.0
5.	New Pickling Area	HCL	2.02	mg/m ³	5.0
6.	CCL-1	HCL	1.48	mg/m ³	5.0
7.	ETP ZLD	HCL	1.66	mg/m ³	5.0

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.



[Signature]
Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR AMBIENT AIR MONITORING

Report No	SEET/AA/11/25/55	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative	Duration of sampling	24 Hrs
Reference	-----		
Date of sampling	28/10/2025	Sample Receipt Date	29/10/2025
Analysis Start Date	30/10/2025	Analysis Complete Date	03/11/2025

AMBIENT AIR STATION

Location of H.V.S.	Near Admin Building	Lateral Distance	5.0 Mtr. From Admin Building
Ambient Temperature	32.4 ⁰ C	Receptor Distance	1.5 Mtr. From Ground Level

POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM ₁₀	µg/m ³	64.68	100	Instr.Manual version 2.01
Particulate Matter PM _{2.5}	µg/m ³	29.12	60	CPCB Manual Volume I
Sulphur Dioxide (SO ₂)	µg/m ³	33.47	80	IS 5182(part 2)2001 (RA 2017)
Nitrogen Dioxide (NO ₂)	µg/m ³	27.61	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O ₃)	µg/m ³	BDL(MDL<19.6)	100	MASA-411 3 rd Ed
Lead (Pb)	µg/m ³	BDL(MDL<0.1)	1.0	MASA-822 3 rd Ed
Carbon Monoxide (CO)	mg/m ³	0.84	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH ₃)	µg/m ³	3.02	400	MASA-401 3 rd Ed
Benzene (C ₆ H ₆)	µg/m ³	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m ³	BDL(MDL<1)	01	CPCB Manual Vol 1 2011
Arsenic (As)	ng/m ³	BDL(MDL<0.1)	06	MASA-302 3 rd Ed
Nickel (Ni)	ng/m ³	BDL(MDL<7)	20	MASA-822 3 rd Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) NAAQS-National Ambient Air Quality Standards
4) BDL – Below Detectable Limit.



[Signature]
Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR AMBIENT AIR MONITORING

Report No	SEET/AA/11/25/58	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative	Duration of sampling	24 Hrs
Reference	-----		
Date of sampling	28/10/2025	Sample Receipt Date	29/10/2025
Analysis Start Date	30/10/2025	Analysis Complete Date	03/11/2025

AMBIENT AIR STATION

Location of H.V.S.	Near Time office	Lateral Distance	5.0 Mtr. From Time office
Ambient Temperature	32.4°C	Receptor Distance	1.5 Mtr. From Ground Level

POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM ₁₀	µg/m ³	63.23	100	Instr.Manual version 2.01
Particulate Matter PM _{2.5}	µg/m ³	25.96	60	CPCB Manual Volume I
Sulphur Dioxide (SO ₂)	µg/m ³	42.17	80	IS 5182(part 2)2001 (RA 2017)
Nitrogen Dioxide (NO ₂)	µg/m ³	32.64	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O ₃)	µg/m ³	BDL(MDL<19.6)	100	MASA-411 3 rd Ed
Lead (Pb)	µg/m ³	BDL(MDL<0.1)	1.0	MASA-822 3 rd Ed
Carbon Monoxide (CO)	mg/m ³	0.92	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH ₃)	µg/m ³	6.36	400	MASA-401 3 rd Ed
Benzene (C ₆ H ₆)	µg/m ³	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m ³	BDL(MDL<1)	01	CPCB Manual Vol 1 2011
Arsenic (As)	ng/m ³	BDL(MDL<0.1)	06	MASA-302 3 rd Ed
Nickel (Ni)	ng/m ³	BDL(MDL<7)	20	MASA-822 3 rd Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) NAAQS-National Ambient Air Quality Standards
4) BDL – Below Detectable Limit.



[Signature]
Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR AMBIENT AIR MONITORING

Report No	SEET/AA/11/25/56	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka Shahpur Dist: Thane - 421601		
Sample collected by	AA Representative	Duration of sampling	24 Hrs
Reference	-----		
Date of sampling	28/10/2025	Sample Receipt Date	29/10/2025
Analysis Start Date	30/10/2025	Analysis Complete Date	03/11/2025

AMBIENT AIR STATION

Location of H.V.S.	Near Highway gate	Lateral Distance	5.0 Mtr. From Highway gate
Ambient Temperature	32.4°C	Receptor Distance	1.5 Mtr. From Ground Level

POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM ₁₀	µg/m ³	73.77	100	Instr.Manual version 2.01
Particulate Matter PM _{2.5}	µg/m ³	38.65	60	CPCB Manual Volume I
Sulphur Dioxide (SO ₂)	µg/m ³	44.10	80	IS 5182(part 2)2001 (RA 2017)
Nitrogen Dioxide (NO ₂)	µg/m ³	41.03	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O ₃)	µg/m ³	BDL(MDL<19.6)	100	MASA-411 3 rd Ed
Lead (Pb)	µg/m ³	BDL(MDL<0.1)	1.0	MASA-822 3 rd Ed
Carbon Monoxide (CO)	mg/m ³	1.68	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH ₃)	µg/m ³	7.89	400	MASA-401 3 rd Ed
Benzene (C ₆ H ₆)	µg/m ³	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m ³	BDL(MDL<1)	01	CPCB Manual Vol 1 2011
Arsenic (As)	ng/m ³	BDL(MDL<0.1)	06	MASA-302 3 rd Ed
Nickel (Ni)	ng/m ³	BDL(MDL<7)	20	MASA-822 3 rd Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) NAAQS-National Ambient Air Quality Standards
4) BDL – Below Detectable Limit.



[Signature]
Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR AMBIENT AIR MONITORING

Report No	SEET/AA/11/25/57	Date	04/11/2025
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative	Duration of sampling	24 Hrs
Reference	-----		
Date of sampling	28/10/2025	Sample Receipt Date	29/10/2025
Analysis Start Date	30/10/2025	Analysis Complete Date	03/11/2025

AMBIENT AIR STATION

Location of H.V.S.	Near ETP ZLD	Lateral Distance	5.0 Mtr. From ETP ZLD
Ambient Temperature	32.4°C	Receptor Distance	1.5 Mtr. From Ground Level

POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM ₁₀	µg/m ³	63.42	100	Instr.Manual version 2.01
Particulate Matter PM _{2.5}	µg/m ³	30.64	60	CPCB Manual Volume I
Sulphur Dioxide (SO ₂)	µg/m ³	32.78	80	IS 5182(part 2)2001 (RA 2017)
Nitrogen Dioxide (NO ₂)	µg/m ³	28.69	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O ₃)	µg/m ³	BDL(MDL<19.6)	100	MASA-411 3 rd Ed
Lead (Pb)	µg/m ³	BDL(MDL<0.1)	1.0	MASA-822 3 rd Ed
Carbon Monoxide (CO)	mg/m ³	0.85	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH ₃)	µg/m ³	7.10	400	MASA-401 3 rd Ed
Benzene (C ₆ H ₆)	µg/m ³	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m ³	BDL(MDL<1)	01	CPCB Manual Vol I 2011
Arsenic (As)	ng/m ³	BDL(MDL<0.1)	06	MASA-302 3 rd Ed
Nickel (Ni)	ng/m ³	BDL(MDL<7)	20	MASA-822 3 rd Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) NAAQS-National Ambient Air Quality Standards
4) BDL – Below Detectable Limit.




Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
DRINK LIFE

ANALYSIS REPORT FOR AMBIENT AIR MONITORING

Report No	SEET/AA/01/26/264	Date	27/01/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative	Duration of sampling	24 Hrs
Reference	-----		
Date of sampling	20/01/2026	Sample Receipt Date	21/01/2026
Analysis Start Date	22/01/2026	Analysis Complete Date	24/01/2026

AMBIENT AIR STATION

Location of H.V.S.	Near Admin Building	Lateral Distance	5.0 Mtr. From Admin Building
Ambient Temperature	36.4°C	Receptor Distance	1.5 Mtr. From Ground Level

POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM ₁₀	µg/m ³	65.21	100	Instr.Manual version 2.01
Particulate Matter PM _{2.5}	µg/m ³	28.48	60	CPCB Manual Volume 1
Sulphur Dioxide (SO ₂)	µg/m ³	30.33	80	IS 5182(part 2)2001 (RA 2017)
Nitrogen Dioxide (NO ₂)	µg/m ³	27.60	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O ₃)	µg/m ³	BDL(MDL<19.6)	100	MASA-411 3 rd Ed
Lead (Pb)	µg/m ³	BDL(MDL<0.1)	1.0	MASA-822 3 rd Ed
Carbon Monoxide (CO)	mg/m ³	0.60	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH ₃)	µg/m ³	3.02	400	MASA-401 3 rd Ed
Benzene (C ₆ H ₆)	µg/m ³	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m ³	BDL(MDL<1)	01	CPCB Manual Vol 1 2011
Arsenic (As)	ng/m ³	BDL(MDL<0.1)	06	MASA-302 3 rd Ed
Nickel (Ni)	ng/m ³	BDL(MDL<7)	20	MASA-822 3 rd Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) NAAQS-National Ambient Air Quality Standards
4) BDL - Below Detectable Limit.

N. S. S. P.

Authorized By





Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎: (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail: prs@sadekarenviro.com / psadekar5@gmail.com

SANITIZATION
SQA-100

ANALYSIS REPORT FOR AMBIENT AIR MONITORING

Report No	SEET/AA/01/26/265	Date	27/01/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative	Duration of sampling	24 Hrs
Reference	-----		
Date of sampling	20/01/2026	Sample Receipt Date	21/01/2026
Analysis Start Date	22/01/2026	Analysis Complete Date	24/01/2026

AMBIENT AIR STATION

Location of H.V.S.	Near Highway gate	Lateral Distance	5.0 Mtr. From Highway gate
Ambient Temperature	36.5°C	Receptor Distance	1.5 Mtr. From Ground Level

POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM ₁₀	µg/m ³	71.08	100	Instr.Manual version 2.01
Particulate Matter PM _{2.5}	µg/m ³	36.41	60	CPCB Manual Volume 1
Sulphur Dioxide (SO ₂)	µg/m ³	39.10	80	IS 5182(part 2)2001 (RA 2017)
Nitrogen Dioxide (NO ₂)	µg/m ³	40.11	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O ₃)	µg/m ³	BDL(MDL<19.6)	100	MASA-411 3 rd Ed
Lead (Pb)	µg/m ³	BDL(MDL<0.1)	1.0	MASA-822 3 rd Ed
Carbon Monoxide (CO)	mg/m ³	1.40	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH ₃)	µg/m ³	8.01	400	MASA-401 3 rd Ed
Benzene (C ₆ H ₆)	µg/m ³	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m ³	BDL(MDL<1)	01	CPCB Manual Vol 1 2011
Arsenic (As)	ng/m ³	BDL(MDL<0.1)	06	MASA-302 3 rd Ed
Nickel (Ni)	ng/m ³	BDL(MDL<7)	20	MASA-822 3 rd Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) NAAQS-National Ambient Air Quality Standards
4) BDL -- Below Detectable Limit.

Authorized by





Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR AMBIENT AIR MONITORING

Report No	SEET/AA/01/26/266	Date	27/01/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative	Duration of sampling	24 Hrs
Reference	-----		
Date of sampling	20/01/2026	Sample Receipt Date	21/01/2026
Analysis Start Date	22/01/2026	Analysis Complete Date	24/01/2026


AMBIENT AIR STATION

Location of H.V.S.	Near ETP ZLD	Lateral Distance	5.0 Mtr. From ETP ZLD
Ambient Temperature	36.2°C	Receptor Distance	1.5 Mtr. From Ground Level

POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM ₁₀	µg/m ³	67.40	100	Instr.Manual version 2.01
Particulate Matter PM _{2.5}	µg/m ³	31.08	60	CPCB Manual Volume I
Sulphur Dioxide (SO ₂)	µg/m ³	29.66	80	IS 5182(part 2)2001 (RA 2017)
Nitrogen Dioxide (NO ₂)	µg/m ³	25.61	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O ₃)	µg/m ³	BDL(MDL<19.6)	100	MASA-411 3 rd Ed
Lead (Pb)	µg/m ³	BDL(MDL<0.1)	1.0	MASA-822 3 rd Ed
Carbon Monoxide (CO)	mg/m ³	0.72	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH ₃)	µg/m ³	9.14	400	MASA-401 3 rd Ed
Benzene (C ₆ H ₆)	µg/m ³	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m ³	BDL(MDL<1)	01	CPCB Manual Vol I 2011
Arsenic (As)	ng/m ³	BDL(MDL<0.1)	06	MASA-302 3 rd Ed
Nickel (Ni)	ng/m ³	BDL(MDL<7)	20	MASA-822 3 rd Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) NAAQS-National Ambient Air Quality Standards
4) BDL - Below Detectable Limit.


Authorized By





Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

5/12/2018
5/1/2018

ANALYSIS REPORT FOR AMBIENT AIR MONITORING

Report No	SEET/AA/01/26/267	Date	27/01/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative	Duration of sampling	24 Hrs
Reference	-----		
Date of sampling	20/01/2026	Sample Receipt Date	21/01/2026
Analysis Start Date	22/01/2026	Analysis Complete Date	24/01/2026


AMBIENT AIR STATION

Location of H.V.S.	Near Time office	Lateral Distance	5.0 Mtr. From Time office
Ambient Temperature	36.3°C	Receptor Distance	1.5 Mtr. From Ground Level

POLLUTIONAL PARAMETERS

Parameters	Units	Result	NAAQS Limits	Method
Particulate Matter PM ₁₀	µg/m ³	64.05	100	Instr.Manual version 2.01
Particulate Matter PM _{2.5}	µg/m ³	28.66	60	CPCB Manual Volume 1
Sulphur Dioxide (SO ₂)	µg/m ³	31.02	80	IS 5182(part 2)2001 (RA 2017)
Nitrogen Dioxide (NO ₂)	µg/m ³	29.78	80	IS 5182(part 2)2006 (RA 2017)
Ozone (O ₃)	µg/m ³	BDL(MDL<19.6)	100	MASA-411 3 rd Ed
Lead (Pb)	µg/m ³	BDL(MDL<0.1)	1.0	MASA-822 3 rd Ed
Carbon Monoxide (CO)	mg/m ³	0.67	02	IS 5182(part 10)1999 (RA 2014)
Ammonia (NH ₃)	µg/m ³	6.48	400	MASA-401 3 rd Ed
Benzene (C ₆ H ₆)	µg/m ³	BDL(MDL<0.2)	05	IS 5182(part 11)2006 (RA 2017)
Benzo (a) Pyrene (BaP)	ng/m ³	BDL(MDL<1)	01	CPCB Manual Vol 1 2011
Arsenic (As)	ng/m ³	BDL(MDL<0.1)	06	MASA-302 3 rd Ed
Nickel (Ni)	ng/m ³	BDL(MDL<7)	20	MASA-822 3 rd Ed

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) NAAQS-National Ambient Air Quality Standards
4) BDL - Below Detectable Limit.


Authorized By





Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR PROCESS STACK MONITORING

Report No	SEET/AA/02/26/64	Date	10/02/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane – 421601		
Sample collected by	AA Representative		
Time of Sampling	Day Time		
Reference	-----		
Date of sampling	04/02/2026	Sample Receipt Date	05/02/2026
Analysis Start Date	06/02/2026	Analysis Complete Date	09/02/2026

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-20 & S-21
Attached To	--	Boiler Stack (14 T)
Material of Stack	--	MS
Shape	--	Round
Diameter	M	1.35
Height From Ground Level	M	30
Temperature	⁰ C	158
Velocity of Flue Gases	M/Sec	6.10
Volume of Flue Gases	Nm ³ /Hr	21608
Type of Fuel	--	RLNG
Fuel Consumption	Kg/hr	1500

POLLUTION PARAMETERS

Parameters	Method	Unit	Limit	Result
Total Particulate Matter	IS 11255 (part I)	mg/Nm ³	150 mg/Nm ³	20.14
Oxides of Nitrogen (Nox)	IS 11255 (part 7)-2005	mg/Nm ³	NS	15.42

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested
3) BDL: Below Detectable Limits



[Signature]
Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR PROCESS STACK MONITORING

Report No	SEET/AA/02/26/62	Date	10/02/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative		
Time of Sampling	Day Time		
Reference	-----		
Date of sampling	04/02/2026	Sample Receipt Date	05/02/2026
Analysis Start Date	06/02/2026	Analysis Complete Date	09/02/2026

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-5
Attached To	--	Radiant Tube Furnace, CGL-1
Material of Stack	--	MS
Shape	--	Round
Diameter	M	0.70
Height From Ground Level	M	30
Temperature	°C	95
Velocity of Flue Gases	M/Sec	8.26
Volume of Flue Gases	Nm ³ /Hr	9214
Type of Fuel	--	RLNG
Fuel Consumption	Kg/hr	10

POLLUTION PARAMETERS

Parameters	Method	Unit	Limit	Result
Total Particulate Matter	IS 11255 (part I)	mg/Nm ³	150.00	19.32
Oxides of Nitrogen (Nox)	IS 11255 (part 7)-2005	mg/Nm ³	--	12.68

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested
3) BDL: Below Detectable Limits



[Signature]
Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR PROCESS STACK MONITORING

Report No	SEET/AA/02/26/60	Date	10/02/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane – 421601		
Sample collected by	AA Representative		
Time of Sampling	Day Time		
Reference	-----		
Date of sampling	04/02/2026	Sample Receipt Date	05/02/2026
Analysis Start Date	06/02/2026	Analysis Complete Date	09/02/2026

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-32
Attached To	--	CAL – Continuous annealing line
Material of Stack	--	MS
Shape	--	Round
Diameter	M	0.6
Height From Ground Level	M	15
Temperature	⁰ C	72
Velocity of Flue Gases	M/Sec	9.72
Volume of Flue Gases	Nm ³ /Hr	8497
Type of Fuel	--	RLNG
Fuel Consumption	Kg/hr	6

POLLUTION PARAMETERS

Parameters	Method	Unit	Limit	Result
Total Particulate Matter	IS 11255 (part I)	mg/Nm ³	150.00	13.46
Oxides of Nitrogen (Nox)	IS 11255 (part 7)-2005	mg/Nm ³	--	9.65

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested




Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER

SAVE LIFE

ANALYSIS REPORT FOR PROCESS STACK MONITORING

Report No	SEET/AA/02/26/61	Date	10/02/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative		
Time of Sampling	Day Time		
Reference	-----		
Date of sampling	04/02/2026	Sample Receipt Date	05/02/2026
Analysis Start Date	05/02/2026	Analysis Complete Date	09/02/2026

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-3
Attached To	--	Boiler Stack (5 T)
Material of Stack	--	MS
Shape	--	Round
Diameter	M	0.60
Height From Ground Level	M	20
Temperature	°C	141
Velocity of Flue Gases	M/Sec	7.63
Volume of Flue Gases	Nm ³ /Hr	5558
Type of Fuel	--	RLNG
Fuel Consumption	Kg/hr	180

POLLUTION PARAMETERS

Parameters	Method	Unit	Limit	Result
Total Particulate Matter	IS 11255 (part I)	mg/Nm ³	150.00	14.52
Oxides of Nitrogen (Nox)	IS 11255 (part 7)-2005	mg/Nm ³	--	18.24

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested
3) BDL: Below Detectable Limits




Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR PROCESS STACK MONITORING

Report No	SEET/AA/02/26/63	Date	10/02/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative		
Time of Sampling	Day Time		
Reference	-----		
Date of sampling	04/02/2026	Sample Receipt Date	05/02/2026
Analysis Start Date	05/02/2026	Analysis Complete Date	09/02/2026

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-7
Attached To	--	Radiant tube Furnace CGL-2
Material of Stack	--	MS
Shape	--	Round
Diameter	M	0.6
Height From Ground Level	M	20
Temperature	⁰ C	84
Velocity of Flue Gases	M/Sec	7.42
Volume of Flue Gases	Nm ³ /Hr	6268
Type of Fuel	--	RLNG
Fuel Consumption	Kg/hr	10

POLLUTION PARAMETERS

Parameters	Method	Unit	Limit	Result
Total Particulate Matter	IS 11255 (part I)	mg/Nm ³	150.00	12.55
Oxides of Nitrogen (Nox)	IS 11255 (part 7)-2005	mg/Nm ³	--	18.72

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested
3) BDL: Below Detectable Limits



[Signature]
Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR PROCESS STACK MONITORING

Report No	SEET/AA/02/26/78	Date	10/02/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane – 421601		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	04/02/2026	Sample Receipt Date	05/02/2026
Analysis Start Date	06/02/2026	Analysis Complete Date	09/02/2026

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-17
Stack Attached To	--	New Pickling section
Material of Stack	--	FRVE
Shape	--	Round
Diameter	M	0.65
Height From Ground Level	M	30
Temperature	°C	39
Velocity of Flue Gases	M/Sec	7.28
Volume of Flue Gases	Nm ³ /Hr	8258
Type of Fuel	--	---
Fuel Consumption	Ltr/hr	---

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
HCL Fumes	IS 5182 (part II) – 1975	mg/Nm ³	35.00	17.42

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL – Below Detectable Limit.




Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR PROCESS STACK MONITORING

Report No	SEET/AA/02/26/79	Date	10/02/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sample collected by	AA Representative		
Time of Sampling	Day Time		
Reference	-----		
Date of sampling	04/02/2026	Sample Receipt Date	05/02/2026
Analysis Start Date	06/02/2026	Analysis Complete Date	09/02/2026

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-6
Attached To	--	Non Oxidizing Furnace CGL - 2
Material of Stack	--	MS
Shape	--	Round
Diameter	M	1.00
Height From Ground Level	M	20
Temperature	°C	97
Velocity of Flue Gases	M/Sec	6.78
Volume of Flue Gases	Nm ³ /Hr	15351
Type of Fuel	--	RLNG
Fuel Consumption	Kg/hr	14

POLLUTION PARAMETERS

PARAMETERS	METHOD	UNIT	LIMIT	RESULT
Total Particulate Matter	IS 11255 (part I)	mg/Nm ³	150.00	13.44
Oxides of Nitrogen (Nox)	IS 11255 (part 7)-2005	mg/Nm ³	--	9.68

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested




Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR PROCESS STACK MONITORING

Report No	SEET/AA/02/26/59	Date	10/02/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka Shahpur Dist: Thane - 421601		
Sample collected by	AA Representative		
Time of Sampling	Day Time		
Reference	-----		
Date of sampling	04/02/2026	Sample Receipt Date	05/02/2026
Analysis Start Date	06/02/2026	Analysis Complete Date	09/02/2026

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-14
Attached To	--	CCL 2 - RTO
Material of Stack	--	MS
Shape	--	Round
Diameter	M	1.0
Height From Ground Level	M	20
Temperature	°C	73
Velocity of Flue Gases	M/Sec	9.24
Volume of Flue Gases	Nm ³ /Hr	22371
Type of Fuel	--	RLNG
Fuel Consumption	Kg/hr	280

POLLUTION PARAMETERS

Parameters	Method	Unit	Limit	Result
Total Particulate Matter	IS 11255 (part I)	mg/Nm ³	150.00	16.02
Oxides of Nitrogen (Nox)	IS 11255 (part 7)-2005	mg/Nm ³	--	14.28

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested



[Signature]
Authorized by

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR PROCESS STACK MONITORING

Report No	SEET/AA/02/26/58	Date	10/02/2026
Name of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka Shahpur Dist: Thane - 421601		
Sample collected by	AA Representative		
Reference	-----		
Date of sampling	04/02/2026	Sample Receipt Date	05/02/2026
Analysis Start Date	06/02/2026	Analysis Complete Date	09/02/2026

DETAILS OF STACK

Description	Unit	Result
Stack No.	--	S-13
Stack Attached To	--	CCL - 1 RTO
Material of Stack	--	MS
Shape	--	Round
Diameter	M	1.0
Height From Ground Level	M	20.0
Temperature	⁰ C	65
Velocity of Flue Gases	M/Sec	8.61
Volume of Flue Gases	Nm ³ /Hr	21339
Type of Fuel	--	RLNG
Fuel Consumption	Kg/hr	500

POLLUTION PARAMETERS

Parameters	Method	Unit	Limit	Result
TPM	IS 11255 (part I)	mg/Nm ³	150.00	19.42
Oxides of Nitrogen (Nox)	IS 11255 (part 7)-2005	mg/Nm ³	--	21.86

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
2) The above results relate only to the item tested.
3) BDL - Below Detectable Limit.




Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR EFFLUENT SAMPLE

Report No	SEET/AA/01/26/303	Date	27/01/2026
Name Of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka Shahpur Dist: Thane - 421601		
Sampling Point	ETP	Sample collected by	AA Representative
Sample Details	RO Permeate		
Date of sampling	20/01/2026	Sample Receipt Date	21/01/2026
Analysis Start Date	22/01/2026	Analysis Complete Date	24/01/2026
Sample container	PVC Can	Sample Quantity	2000 ml

CHEMICAL PARAMETERS

Sr.No	Parameters	Results	Units	Limit	Method
1	pH	7.35	-	NS	APHA-4500-H+-B
2	BOD (27°C 3 day)	B.D.L	mg/lit	NS	IS 3025 (part 44) :1993 (Reaffirmed 2014)
3	COD	18.00	mg/lit	NS	APHA - 5220 Bs
4	Total Dissolved Solids	69.00	mg/lit	NS	APHA - 2540-C
5	Oil & Grease	B.D.L	mg/lit	NS	APHA - 3125 B
6	Sulphates as SO ₄	2.27	mg/lit	NS	APHA-4500-SO ₄ -E
7	Chlorides as Cl	8.86	mg/lit	NS	APHA - 4500- Cl-B
8.	Total Suspended solids	<5.0	mg/lit	NS	APHA - 2540-D
9.	Iron as Fe	B.D.L	mg/lit	NS	APHA - 3125 B
10.	Lead as Pb	B.D.L	mg/lit	NS	APHA - 3125 B
11.	Zinc as Zn	B.D.L	mg/lit	NS	APHA - 3125 B
12.	Chromium Hexa	B.D.L	mg/lit	NS	APHA - 3125 B
13.	Total Chromium	B.D.L	mg/lit	NS	APHA - 3125 B

Note: Test results related only to the sample tested.

This certificate may not be reproduced in part, without the permission of this laboratory.



[Signature]
Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR EFFLUENT SAMPLE

Report No	SEET/AA/11/25/49	Date	04/11/2025
Name Of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sampling Point	ETP		
Sample Details	RO Permeate	Sample collected by	AA Representative
Date of collection	28/10/2025	Sample Receipt Date	29/10/2025
Analysis started on	30/10/2025	Analysis Complete Date	03/11/2025
Sample container	PVC Can	Sample Quantity	2000 ml

CHEMICAL PARAMETERS

Sr.No	Parameters	Results	Units	Limit	Method
1	pH	7.41	-	NS	APHA-4500-H ⁺ -B
2	BOD (27°C 3 day)	B.D.L	mg/lit	NS	IS 3025 (part 44) :1993 (Reaffirmed 2014)
3	COD	20.00	mg/lit	NS	APHA - 5220 Bs
4	Total Dissolved Solids	72.00	mg/lit	NS	APHA - 2540-C
5	Oil & Grease	B.D.L	mg/lit	NS	APHA - 3125 B
6	Sulphates as SO ₄	2.68	mg/lit	NS	APHA-4500-SO ₄ -E
7	Chlorides as Cl	9.12	mg/lit	NS	APHA - 4500- Cl-B
8.	Total Suspended solids	<5.0	mg/lit	NS	APHA - 2540-D
9.	Iron as Fe	B.D.L	mg/lit	NS	APHA - 3125 B
10.	Lead as Pb	B.D.L	mg/lit	NS	APHA - 3125 B
11.	Zinc as Zn	B.D.L	mg/lit	NS	APHA - 3125 B
12.	Chromium Hexa	B.D.L	mg/lit	NS	APHA - 3125 B
13.	Total Chromium	B.D.L	mg/lit	NS	APHA - 3125 B

Note: Test results related only to the sample tested.

This certificate may not be reproduced in part, without the permission of this laboratory.




Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER
SAVE LIFE

ANALYSIS REPORT FOR EFFLUENT SAMPLE

Report No	SEET/AA/11/25/51	Date	04/11/2025
Name Of Client	M/s JSW Steel Coated Products Limited		
Address of Client	Village Vashind Taluka ShahpurDist: Thane - 421601		
Sampling Point	STP		
Sample Details	STP outlet	Sample collected by	AA Representative
Date of collection	28/10/2025	Sample Receipt Date	29/10/2025
Analysis started on	30/10/2025	Analysis Complete Date	03/11/2025
Sample container	PVC Can	Sample Quantity	2000 ml

CHEMICAL PARAMETERS

Sr.No	Parameters	Results	Units	Limit	Method
1	pH	7.39	-	NS	APHA-4500-H ⁺ -B
2	BOD (27°C 3 day)	12.00	mg/lit	NS	IS 3025 (part 44) :1993 (Reaffirmed 2014)
3	COD	34.00	mg/lit	NS	APHA - 5220 Bs
4	Total Dissolved Solids	201.00	mg/lit	NS	APHA - 2540-C
5	Oil & Grease	<1.00	mg/lit	NS	APHA - 3125 B
6	Sulphates as SO ₄	1.01	mg/lit	NS	APHA-4500-SO ₄ -E
7	Chlorides as Cl	10.12	mg/lit	NS	APHA - 4500- Cl-B
8	Total Suspended solids	31.00	mg/lit	NS	APHA - 2540-D
9	Iron as Fe	B.D.L	mg/lit	NS	APHA - 3125 B
10	Lead as Pb	B.D.L	mg/lit	NS	APHA - 3125 B
11	Zinc as Zn	B.D.L	mg/lit	NS	APHA - 3125 B
12	Chromium Hexa	B.D.L	mg/lit	NS	APHA - 3125 B
13	Total Chromium	B.D.L	mg/lit	NS	APHA - 3125 B

Note: Test results related only to the sample tested.

This certificate may not be reproduced in part, without the permission of this laboratory.



Authorized By

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎ : 8591159165 / 7304633868
E-mail : evaporationssystem@sadekarenviro.com • Website : www.sadekarenviro.com
GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN - U45209MH1998PTC-116379

Hazardous waste disposal Summary _October 2025 to March 2026

Sr.No	Name Of Hazardous waste	Waste Category Number	UoM	Monthly Consented Qty	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26	Average (Oct.2025 to March 2026)
1	Chemical sludge from waste water traetement -ETP sludge	35.3	MT/month	1585	229	254	200	193	128	225	205
2	Spent Acid -ARP Reporcess	12.2	KL/D	170	144	160	148	142	136	139	145
3	Other Residues from processing of Zinc Ash or skimming	6.3	MT/M	400	125	230	180	229	210	194	195
4	Used or Spent Oil	5.1	MT/M	51.5	21	51	62	34	53	53	46
5	Waste Or Residue Containing oil	5.2	MT/M	21	10	12	22	8	8	0	10
6	Process Wastes, residues and sludges	21.1	Kg/Annum	480	0	0	0	0	0	0	0
7	Spent Solvent	21.2	KL/M	5	0	0	0	0	10	40	8
8	Empty Barrels/Containers/liners contaminated with hazardous chemicals/waste	33.1	Numbers/Month	10000	2621	2118	3673	3000	3532	4486	3238
9	Iron Oxide Scales/Granuels/Powder	NA	MT/M	1150	756	719	864	832	667	863	784

MIYAWAKI PLANTATION

